

0123456789-123456789-123456789-123456789-12345
#1.(A) #2.(B) #3.(C) #4.(D) #5.(E)

Q(0-4): 0
Answer: B

gotoxy($n * 10 + 4, 1$);

0123456789-123456789-123456789-123456789-12345
#1.(B) #2.(B) #3.(C) #4.(D) #5.(E)

```
char modelAns[10] = "ABCDE";  
char userAns[10] = "-----";
```

```
int cal_score(){  
    int n=0;  
    if(modelAns[0]==userAns[0]) n++;  
    return n;  
}
```

```
score = cal_score();  
printf("%i\n", score);
```

mc2010

1

文字檔 mc.txt

```
char t[100], s[100];  
int i, cnt=0;  
  
t[] = "ABCDEABCDE";  
s[] = "AAAAAAAAAAA";
```

t[] ABCDEABCDE
s[] AAAAAAAA
BBBBBBBBBB
CCCCCCCC

```
fgets(t,20,fp);  
while (!feof(fp)){  
    fgets(s,20,fp);  
    if (s[0]==t[0]) cnt++;  
    if (s[1]==t[1]) cnt++;  
    if (s[2]==t[2]) cnt++;  
    if (s[3]==t[3]) cnt++;  
    if (s[4]==t[4]) cnt++;  
    printf (...cnt);  
}
```

讀入答案

計算成績

顯示成績

Student 0: 2
Student 1: 7
...
Average = 5.6


mc2010

2

```

char t[100], s[100];
int i, cnt=0;
Student 1: 2
Student 2: 7
Student 3: 4
...
Average = 5.6

```



```

// 第k個學生
k=0;
fgets(s,100,fp);
for (i=0;i<_____;i++)
    if (_____) sCorr[0]++;
k=1;
fgets(s,100,fp);
for (i=0;i<_____;i++)
    if (_____) sCorr[1]++;

```

mc2010

3

```

char ans[100][20];
int i, j, cnt=0;
if (ans[3][0]==ans[0][0]) cnt++;
if (ans[3][1]==ans[0][1]) cnt++;
if (ans[3][2]==ans[0][2]) cnt++;
if (ans[3][3]==ans[0][3]) cnt++;
if (ans[3][4]==ans[0][4]) cnt++;
if (ans[3][5]==ans[0][5]) cnt++;
if (ans[3][6]==ans[0][6]) cnt++;

```

```

for (i=0;i<??;i++)
    for (j=0;j<_____;j++)
        if (ans[3][__]==ans[0][__]) cnt++;

```

0123456789

| | | |
|--------|---|-------------------------|
| ans[i] | 0 | ABCDEABCDE |
| | 1 | AAAAAAAAAAA |
| | 2 | BBBBBBBBBBB |
| | 3 | C CCCCCCC CC |

ans[3][2]

mc2010

4